





What is Sexual Health?

4





































What is Sex/Drug-Linked Relapse Prevention? Assessment: Level of Sex/Drug-Link Triage: Relapse Prevention Plan Treatment: Sexual Health in recovery

What is Sex/Drug-Linked Relapse Prevention?

Stepping Stone 2002- 2006

Sex/Drug-linked relapse Risk Assessment survey

What psychological/attitudinal/ behavioral/emotional variables are correlated with high sex/drug linked addiction?

Sex/drug-linked relapse?

Client Retention Data?

What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?

Sexual Health Attitudes?

What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?

Sexual Health Behaviors?

Mental Disorders?

What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?

Sexual Sensation Seeking?

What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?

Condom Use?

Safer Sex Boundaries?

What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?

Out of Control Sexual Behavior?

What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?

Motivation for Change?



What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?



What psychological-attitudinal-behavioralemotional variables are correlated with sex/drug linked addiction?




High Sex/Drug Linked Clients > (**Double**) Levels of Shame


Sex/drug-linked shame most salient risk factor?




Three months later: High Sex/Drug-Linked Clients = Shame Low Sex/Drug Linked Clients.


Shame measure correlated with improvement in client retention and increased self-efficacy for completing treatment. Sexual Health in Drug and Alcohol Treatment is a shame-reduction intervention providing sex/drug-linked relapse prevention tools






Providing a sex positive treatment environment combined with a sexual health psycho-educational curriculum **Decreases** sex/drug linked shame which contributes to improving self efficacy **Resulting** in a treatment ready client population.









Self-Report

(Braun-Harvey,2011)


Braun-Harvey, D. (2010). Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company.

Behavior (Substance Use and HIV/ID Risk)	
ed alcohol or drugs	
onths, have you had sex while high, intoxicated or drunk?	No o
e free to be sexual when you are high on drugs or alcohol? Ves 1	No o
self-conscious to enjoy sex when sober? Ves 2	No o
ed that your sexual activity is a significant concern	
zu linar youri sexuali akulvity is a signifikant konkenti Vinkenti 2	

No Wrong Door Integrative Screener, Center for Community Collaboration, Baltimore MD. (2014)



(Braun-Harvey, 2011)





Seven Sexual Health Services


- 1. Pregnancy
- 2. HIV/AIDS
- 3. STI's
- 4. Sexual Dysfunction
- 5. Medication Side Effects
- 6. Non-consensual Sex
- 7. Out of Control Sexual Behavior




(Braun-Harvey, 2011)










Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company




Sexual Knowledge




Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company


Level of Counselor Comfort with Sexual Material



Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company









Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company

Disrupting Drug and Alcohol Counselor Sexual Health Conversation Avoidant Patterns with Client




Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company



Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company



Disrupting Drug and Alcohol Counselor Sexual Health Conversation Avoidant Patterns with Client



Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company

Therapist sex avoidant verbal and non-verbal behaviors

Braun-Harvey, D. (2010). Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company

The Six S's

- 1. Silence
- 2. Silliness
- 3. Shame
- 4. Shyness
- 5. Suppression
- 6. Superstition




Therapist Anxiety Management Skills

Step back from ones own feelings, values, ideas, stereotypes and sex phobic reactions and engage in sexual health communication motivated to reduce and prevent sex/ drug-linked relapse.

1. Verbal inquiries

3. Clinical judgments







Braun-Harvey, D. (2010). Sexual Health in Recovery: A Professional Counselor's Manual. Springer Publishing Company.

Andrews, Methodological and Definitional Issues in Shame Research. In: Shame: Interpersonal Behavior, Psychopathology, and Culture, Edited by Gilbert, P.& Andrews, B. New York, Oxford University Press 1998

Braun-Harvey, D. (2009). Sexual Health in Drug and Alcohol Treatment: group facilitator's guide. Springer Publishing Company, New York, N.Y.

Center for Substance Abuse Treatment (CSAT). (2006). National Summit on Recovery: Conference Report (DHHS Publication No. [SMA} 06-xxxx. Rockville, MD: Substance Abuse and Mental Health Services Administration

Coleman, E. (2007). Creating a Sexually Healthier World Through Effective Public Policy. International Journal of Sexual Health Vol. 19(3) pp. 5-24.

BIBLIOGRAPHY

BIBLIOGRAPHY

U.S. Department of Health and Human Services, Office of the Surgeon General (2001) The surgeon general's call to action to promote sexual health and responsible sexual behavior. Downloaded June 17, 2009 at http://www.surgeongeneral.gov/library/sexualhealth/call.htm

MESTON, C. & Buss, D. (2007). Why humans have sex. Archives of sexual behavior, 36, 477-507.

Harder, D.W., Rockart, L., & Cutler, L. (1993). Additional Validity Evidence for the Harder Personal Feelings Questionnaire-2 (PFQ2): A Measure of Shame and Guilt Proneness. Journal of Clinical Psychology, 49(3), 345-348.

Harder, D.W., & Lewis, S. J. (1986). The assessment of shame and guilt. In J. N. Butcher & C. D. Spielberger (Eds.), Advances in personality assessment (Vol. 6, pp. 89-114). Hillsdale, New Jersey: Lawrence Earlbaum.